

# GAS CONNECTOR

07/10/2023

Spread Sheet Tab #: 4G

## Tube Size 3/8" O.D. (1/4" I.D.) Gas Connector

Yellow Polymer Coated Stainless Steel Tube  
Mostly used on Furnace or Space Heater

1/2" MIP x 3/8" Flare



Item #	Description	Length	Inner	Master
4G0412	3/8" OD Connector with 1/2" MIP adp. x 3/8" Flare	12"	5	25
4G0418	3/8" OD Connector with 1/2" MIP adp. x 3/8" Flare	18"	5	25
4G0424	3/8" OD Connector with 1/2" MIP adp. x 3/8" Flare	24"	5	25
4G0436	3/8" OD Connector with 1/2" MIP adp. x 3/8" Flare	36"	5	25
4G0448	3/8" OD Connector with 1/2" MIP adp. x 3/8" Flare	48"	5	25
4G0460	3/8" OD Connector with 1/2" MIP adp. x 3/8" Flare	60"	4	12

1/2" MIP x 1/2" FIP Straight Gas Valve



Item #	Description	Length	Inner	Master
4GV412	3/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	12"	5	25
4GV418	3/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	18"	5	25
4GV424	3/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	24"	5	25
4GV436	3/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	36"	5	25
4GV448	3/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	48"	5	25
4GV460	3/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	60"	4	12

3/8" MIP x 1/2" FIP Steel Adapter



Item #	Description	Length	Inner	Master
4GK412	3/8" OD Connector with 3/8" MIP adp. x 1/2" FIP adp.	12"	5	25
4GK418	3/8" OD Connector with 3/8" MIP adp. x 1/2" FIP adp.	18"	5	25
4GK424	3/8" OD Connector with 3/8" MIP adp. x 1/2" FIP adp.	24"	5	25
4GK436	3/8" OD Connector with 3/8" MIP adp. x 1/2" FIP adp.	36"	5	25
4GK448	3/8" OD Connector with 3/8" MIP adp. x 1/2" FIP adp.	48"	5	25
4GK460	3/8" OD Connector with 3/8" MIP adp. x 1/2" FIP adp.	60"	4	12

1/2" MIP x 3/8" FIP Steel Adapter



Item #	Description	Length	Inner	Master
4GH412	3/8" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	12"	5	25
4GH418	3/8" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	18"	5	25
4GH424	3/8" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	24"	5	25
4GH436	3/8" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	36"	5	25
4GH448	3/8" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	48"	5	25
4GH460	3/8" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	60"	4	12

**Tube Size 3/8" O.D. (1/4" I.D.) Gas Connector**

Yellow Polymer Coated Stainless Steel Tube  
Mostly used on Furnace or Space Heater

1/2" MIP x 1/2" FIP Steel Adapter



Item #	Description	Length	Inner	Master
<b>4GF412</b>	3/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	12"	5	25
<b>4GF418</b>	3/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	18"	5	25
<b>4GF424</b>	3/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	24"	5	25
<b>4GF436</b>	3/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	36"	5	25
<b>4GF448</b>	3/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	48"	5	25
<b>4GF449</b>	3/8" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	48"	5	25
<b>4GF460</b>	3/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	60"	4	12

1/2" MIP x 1/2" MIP Steel Adapter



Item #	Description	Length	Inner	Master
<b>4GM412</b>	3/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	12"	5	25
<b>4GM418</b>	3/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	18"	5	25
<b>4GM424</b>	3/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	24"	5	25
<b>4GM436</b>	3/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	36"	5	25
<b>4GM448</b>	3/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	48"	5	25
<b>4GM460</b>	3/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	60"	4	12

3/8" FIP x 3/8" FIP Steel Adapter



Item #	Description	Length	Inner	Master
<b>4GE412</b>	3/8" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	12"	5	25
<b>4GE418</b>	3/8" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	18"	5	25
<b>4GE424</b>	3/8" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	24"	5	25
<b>4GE436</b>	3/8" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	36"	5	25
<b>4GE448</b>	3/8" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	48"	5	25
<b>4GE460</b>	3/8" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	60"	4	12

1/2" FIP x 3/8" FIP Steel Adapter



Item #	Description	Length	Inner	Master
<b>4GR412</b>	3/8" OD Connector with 1/2" FIP adp. x 3/8" FIP adp.	12"	5	25
<b>4GR418</b>	3/8" OD Connector with 1/2" FIP adp. x 3/8" FIP adp.	18"	5	25
<b>4GR424</b>	3/8" OD Connector with 1/2" FIP adp. x 3/8" FIP adp.	24"	5	25
<b>4GR436</b>	3/8" OD Connector with 1/2" FIP adp. x 3/8" FIP adp.	36"	5	25
<b>4GR448</b>	3/8" OD Connector with 1/2" FIP adp. x 3/8" FIP adp.	48"	5	25
<b>4GR460</b>	3/8" OD Connector with 1/2" FIP adp. x 3/8" FIP adp.	60"	4	12

## Tube Size 1/2" O.D. (3/8" I.D.) Gas Connector

Yellow Polymer Coated Stainless Steel Tube  
Mostly used on Tank Water Heater, Furnace or Dryer

1/2" MIP x 1/2" Flare



Item #	Description	Length	Inner	Master
4G0112	1/2" OD Connector with 1/2" MIP adp. x 1/2" Flare	12"	5	25
4G0118	1/2" OD Connector with 1/2" MIP adp. x 1/2" Flare	18"	5	25
4G0124	1/2" OD Connector with 1/2" MIP adp. x 1/2" Flare	24"	5	25
4G0130	1/2" OD Connector with 1/2" MIP adp. x 1/2" Flare	30"	5	25
4G0136	1/2" OD Connector with 1/2" MIP adp. x 1/2" Flare	36"	5	25
4G0148	1/2" OD Connector with 1/2" MIP adp. x 1/2" Flare	48"	5	25
4G0160	1/2" OD Connector with 1/2" MIP adp. x 1/2" Flare	60"	4	12
4G0172	1/2" OD Connector with 1/2" MIP adp. x 1/2" Flare	72"	4	12

1/2" MIP x 1/2" FIP Straight Gas Valve



Item #	Description	Length	Inner	Master
4GV112	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	12"	5	25
4GV118	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	18"	5	25
4GV124	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	24"	5	25
4GV130	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	30"	5	25
4GV136	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	36"	5	25
4GV148	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	48"	5	25
4GV160	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	60"	4	12
4GV172	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	72"	4	12

1/2" FIP x 1/2" FIP Straight Gas Valve



Item #	Description	Length	Inner	Master
4GZ112	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	12"	5	25
4GZ118	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	18"	5	25
4GZ124	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	24"	5	25
4GZ130	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	30"	5	25
4GZ136	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	36"	5	25
4GZ148	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	48"	5	25
4GZ160	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	60"	4	12
4GZ172	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	72"	4	12

**Tube Size 1/2" O.D. (3/8" I.D.) Gas Connector**

Yellow Polymer Coated Stainless Steel Tube  
Mostly used on Tank Water Heater, Furnace or Dryer

1/2" MIP x 3/8" FIP Steel Adapter



Item #	Description	Length	Inner	Master
<b>4GK112</b>	1/2" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	12"	5	25
<b>4GK118</b>	1/2" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	18"	5	25
<b>4GK124</b>	1/2" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	24"	5	25
<b>4GK130</b>	1/2" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	30"	5	25
<b>4GK136</b>	1/2" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	36"	5	25
<b>4GK148</b>	1/2" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	48"	5	25
<b>4GK160</b>	1/2" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	60"	4	12
<b>4GK172</b>	1/2" OD Connector with 1/2" MIP adp. x 3/8" FIP adp.	72"	4	12

1/2" MIP x 1/2" MIP Steel Adapter



Item #	Description	Length	Inner	Master
<b>4GM112</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	12"	5	25
<b>4GM118</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	18"	5	25
<b>4GM124</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	24"	5	25
<b>4GM130</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	30"	5	25
<b>4GM136</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	36"	5	25
<b>4GM148</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	48"	5	25
<b>4GM160</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	60"	4	12
<b>4GM172</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	72"	4	12

1/2" MIP x 1/2" FIP Steel Adapter



Item #	Description	Length	Inner	Master
<b>4GF112</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	12"	5	25
<b>4GF118</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	18"	5	25
<b>4GF124</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	24"	5	25
<b>4GF130</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	30"	5	25
<b>4GF136</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	36"	5	25
<b>4GF148</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	48"	5	25
<b>4GF160</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	60"	4	12
<b>4GF172</b>	1/2" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	72"	4	12

## Tube Size 1/2" O.D. (3/8" I.D.) Gas Connector

Yellow Polymer Coated Stainless Steel Tube  
Mostly used on Tank Water Heater, Furnace or Dryer

3/8" FIP x 3/8" FIP Steel Adapter



Item #	Description	Length	Inner	Master
4GE112	1/2" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	12"	5	25
4GE118	1/2" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	18"	5	25
4GE124	1/2" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	24"	5	25
4GE130	1/2" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	30"	5	25
4GE136	1/2" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	36"	5	25
4GE148	1/2" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	48"	5	25
4GE160	1/2" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	60"	4	12
4GE172	1/2" OD Connector with 3/8" FIP adp. x 3/8" FIP adp.	72"	4	12

1/2" FIP x 1/2" FIP Steel Adapter



Item #	Description	Length	Inner	Master
4GG112	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	12"	5	25
4GG118	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	18"	5	25
4GG124	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	24"	5	25
4GG130	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	30"	5	25
4GG136	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	36"	5	25
4GG148	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	48"	5	25
4GG160	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	60"	4	12
4GG172	1/2" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	72"	4	12

## Tube Size 5/8" O.D. (1/2" I.D.) Gas Connector

Yellow Polymer Coated Stainless Steel Tube  
Commonly Called 3/4" Gas Line

3/4" MIP x 15/16" Flare



Item #	Description	Length	Inner	Master
4G0212	5/8" OD Connector with 3/4" MIP adp. x 15/16" Flare	12"	5	25
4G0218	5/8" OD Connector with 3/4" MIP adp. x 15/16" Flare	18"	5	25
4G0224	5/8" OD Connector with 3/4" MIP adp. x 15/16" Flare	24"	5	25
4G0230	5/8" OD Connector with 3/4" MIP adp. x 15/16" Flare	30"	5	25
4G0236	5/8" OD Connector with 3/4" MIP adp. x 15/16" Flare	36"	5	25
4G0248	5/8" OD Connector with 3/4" MIP adp. x 15/16" Flare	48"	5	25
4G0260	5/8" OD Connector with 3/4" MIP adp. x 15/16" Flare	60"	4	12

**Tube Size 5/8" O.D. (1/2" I.D.) Gas Connector**

Yellow Polymer Coated Stainless Steel Tube  
Commonly Called 3/4" Gas Line

1/2" MIP x 1/2" FIP Straight Gas Valve



Item #	Description	Length	Inner	Master
<b>4GX212</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	12"	5	25
<b>4GX218</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	18"	5	25
<b>4GX224</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	24"	5	25
<b>4GX292</b>	5/8" OD Connector with 3/4" MIP adp. x 1/2" FIP Straight Valve	24"	5	25
<b>4GX230</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	30"	5	25
<b>4GX236</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	36"	5	25
<b>4GX293</b>	5/8" OD Connector with 3/4" MIP adp. x 1/2" FIP Straight Valve	36"	5	25
<b>4GX248</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	48"	5	25
<b>4GX260</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP Straight Valve	60"	4	12

3/4" MIP x 3/4" FIP Straight Gas Valve



Item #	Description	Length	Inner	Master
<b>4GV212</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Straight Valve	12"	5	25
<b>4GV218</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Straight Valve	18"	5	25
<b>4GV224</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Straight Valve	24"	5	25
<b>4GV230</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Straight Valve	30"	5	25
<b>4GV236</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Straight Valve	36"	5	25
<b>4GV248</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Straight Valve	48"	5	25
<b>4GV260</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Straight Valve	60"	4	12

1/2" FIP x 1/2" FIP Straight Gas Valve



Item #	Description	Length	Inner	Master
<b>4GD212</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	12"	5	25
<b>4GD218</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	18"	5	25
<b>4GD224</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	24"	5	25
<b>4GD230</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	30"	5	25
<b>4GD236</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	36"	5	25
<b>4GD248</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	48"	5	25
<b>4GD260</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP Straight Valve	60"	4	12

3/4" FIP x 3/4" FIP Straight Gas Valve



Item #	Description	Length	Inner	Master
<b>4GC212</b>	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Straight Valve	12"	5	25
<b>4GC218</b>	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Straight Valve	18"	5	25
<b>4GC224</b>	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Straight Valve	24"	5	25
<b>4GC230</b>	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Straight Valve	30"	5	25
<b>4GC236</b>	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Straight Valve	36"	5	25
<b>4GC248</b>	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Straight Valve	48"	5	25
<b>4GC260</b>	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Straight Valve	60"	4	12



## Tube Size 5/8" O.D. (1/2" I.D.) Gas Connector

Yellow Polymer Coated Stainless Steel Tube  
Commonly Called 3/4" Gas Line

3/4" MIP x 3/4" FIP Angle Gas Valve



Item #	Description	Length	Inner	Master
4GN212	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Angle Valve	12"	5	25
4GN218	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Angle Valve	18"	5	25
4GN224	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Angle Valve	24"	5	25
4GN230	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Angle Valve	30"	5	25
4GN236	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Angle Valve	36"	5	25
4GN248	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Angle Valve	48"	5	25
4GN260	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Angle Valve	60"	4	12
4GN288	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP Angle Valve			

3/4" FIP x 3/4" FIP Angle Gas Valve



Item #	Description	Length	Inner	Master
4GL212	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Angle Valve	12"	5	25
4GL218	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Angle Valve	18"	5	25
4GL224	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Angle Valve	24"	5	25
4GL230	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Angle Valve	30"	5	25
4GL236	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Angle Valve	36"	5	25
4GL248	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Angle Valve	48"	5	25
4GL260	5/8" OD Connector with 3/4" FIP adp. x 3/4" FIP Angle Valve	60"	4	12

1/2" MIP x 1/2" MIP Steel Adapter



Item #	Description	Length	Inner	Master
4GM212	5/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	12"	5	25
4GM218	5/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	18"	5	25
4GM224	5/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	24"	5	25
4GM230	5/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	30"	5	25
4GM236	5/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	36"	5	25
4GM248	5/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	48"	5	25
4GM260	5/8" OD Connector with 1/2" MIP adp. x 1/2" MIP adp.	60"	4	12

1/2" MIP x 3/4" MIP Steel Adapter



Item #	Description	Length	Inner	Master
4GR212	5/8" OD Connector with 1/2" MIP adp. x 3/4" MIP adp.	12"	5	25
4GR218	5/8" OD Connector with 1/2" MIP adp. x 3/4" MIP adp.	18"	5	25
4GR224	5/8" OD Connector with 1/2" MIP adp. x 3/4" MIP adp.	24"	5	25
4GR230	5/8" OD Connector with 1/2" MIP adp. x 3/4" MIP adp.	30"	5	25
4GR236	5/8" OD Connector with 1/2" MIP adp. x 3/4" MIP adp.	36"	5	25
4GR248	5/8" OD Connector with 1/2" MIP adp. x 3/4" MIP adp.	48"	5	25
4GR260	5/8" OD Connector with 1/2" MIP adp. x 3/4" MIP adp.	60"	4	12

**Tube Size 5/8" O.D. (1/2" I.D.) Gas Connector**

Yellow Polymer Coated Stainless Steel Tube  
Commonly Called 3/4" Gas Line

3/4" MIP x 3/4" MIP Steel Adapter



Item #	Description	Length	Inner	Master
<b>4GB212</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	12"	5	25
<b>4GB218</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	18"	5	25
<b>4GB224</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	24"	5	25
<b>4GB230</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	30"	5	25
<b>4GB236</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	36"	5	25
<b>4GB248</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	48"	5	25
<b>4GB260</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	60"	4	12

1/2" MIP x 1/2" FIP Steel Adapter



Item #	Description	Length	Inner	Master
<b>4GQ212</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	12"	5	25
<b>4GQ218</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	18"	5	25
<b>4GQ224</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	24"	5	25
<b>4GQ230</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	30"	5	25
<b>4GQ236</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	36"	5	25
<b>4GQ248</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	48"	5	25
<b>4GQ260</b>	5/8" OD Connector with 1/2" MIP adp. x 1/2" FIP adp.	60"	4	12

3/4" MIP x 3/4" FIP Steel Adapter



Item #	Description	Length	Inner	Master
<b>4GF212</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	12"	5	25
<b>4GF218</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	18"	5	25
<b>4GF224</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	24"	5	25
<b>4GF230</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	30"	5	25
<b>4GF236</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	36"	5	25
<b>4GF248</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	48"	5	25
<b>4GF260</b>	5/8" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	60"	4	12

1/2" FIP x 1/2" FIP Steel Adapter



Item #	Description	Length	Inner	Master
<b>4GG212</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	12"	5	25
<b>4GG218</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	18"	5	25
<b>4GG224</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	24"	5	25
<b>4GG230</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	30"	5	25
<b>4GG236</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	36"	5	25
<b>4GG248</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	48"	5	25
<b>4GG260</b>	5/8" OD Connector with 1/2" FIP adp. x 1/2" FIP adp.	60"	4	12



## Tube Size 1" O.D. (3/4" I.D.) Gas Connector

Yellow Polymer Coated Stainless Steel Tube  
Mainly used on Tankless water heater

3/4" MIP x 1" Flare



Item #	Description	Length	Inner	Master
4G0312	1" OD Connector with 3/4" MIP adp. x 1" Flare	12"	2	10
4G0318	1" OD Connector with 3/4" MIP adp. x 1" Flare	18"	2	10
4G0324	1" OD Connector with 3/4" MIP adp. x 1" Flare	24"	2	10
4G0336	1" OD Connector with 3/4" MIP adp. x 1" Flare	36"	2	10
4G0348	1" OD Connector with 3/4" MIP adp. x 1" Flare	48"	2	10
4G0360	1" OD Connector with 3/4" MIP adp. x 1" Flare	60"	2	10
4G0372	1" OD Connector with 3/4" MIP adp. x 1" Flare	72"	2	10

3/4" MIP x 3/4" FIP Gas Valve



Item #	Description	Length	Inner	Master
4GV312	1" OD Connector with 3/4" MIP adp. x 3/4" FIP Full Port Valve	12"	2	10
4GV318	1" OD Connector with 3/4" MIP adp. x 3/4" FIP Full Port Valve	18"	2	10
4GV324	1" OD Connector with 3/4" MIP adp. x 3/4" FIP Full Port Valve	24"	2	10
4GV336	1" OD Connector with 3/4" MIP adp. x 3/4" FIP Full Port Valve	36"	2	10
4GV348	1" OD Connector with 3/4" MIP adp. x 3/4" FIP Full Port Valve	48"	2	10
4GV360	1" OD Connector with 3/4" MIP adp. x 3/4" FIP Full Port Valve	60"	2	10
4GV372	1" OD Connector with 3/4" MIP adp. x 3/4" FIP Full Port Valve	72"	2	10

3/4" MIP x 3/4" FIP Steel Adapter



Item #	Description	Length	Inner	Master
4GF312	1" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	12"	2	10
4GF318	1" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	18"	2	10
4GF324	1" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	24"	2	10
4GF336	1" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	36"	2	10
4GF348	1" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	48"	2	10
4GF360	1" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	60"	2	10
4GF372	1" OD Connector with 3/4" MIP adp. x 3/4" FIP adp.	72"	2	10

3/4" MIP x 3/4" MIP Steel Adapter



Item #	Description	Length	Inner	Master
4GB312	1" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	12"	2	10
4GB318	1" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	18"	2	10
4GB324	1" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	24"	2	10
4GB336	1" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	36"	2	10
4GB348	1" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	48"	2	10
4GB360	1" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	60"	2	10
4GB372	1" OD Connector with 3/4" MIP adp. x 3/4" MIP adp.	72"	2	10


## 3/4" FIP x 3/4" FIP Steel Adapter



Item #	Description	Length	Inner	Master
<b>4GG312</b>	1" OD Connector with 3/4" FIP adp. x 3/4" FIP adp.	12"	2	10
<b>4GG318</b>	1" OD Connector with 3/4" FIP adp. x 3/4" FIP adp.	18"	2	10
<b>4GG324</b>	1" OD Connector with 3/4" FIP adp. x 3/4" FIP adp.	24"	2	10
<b>4GG336</b>	1" OD Connector with 3/4" FIP adp. x 3/4" FIP adp.	36"	2	10
<b>4GG348</b>	1" OD Connector with 3/4" FIP adp. x 3/4" FIP adp.	48"	2	10
<b>4GG360</b>	1" OD Connector with 3/4" FIP adp. x 3/4" FIP adp.	60"	2	10
<b>4GG372</b>	1" OD Connector with 3/4" FIP adp. x 3/4" FIP adp.	72"	2	10

**Steel Adapters for Gas Lines**

## Female Gas Adapter



Item #	Description	Master
<b>4GA3838F</b>	Steel Gas Adapter 3/8" Flare x 3/8" FIP	100
<b>4GA3812F</b>	Steel Gas Adapter 3/8" Flare x 1/2" FIP	100
<b>4GA1212F</b>	Steel Gas Adapter 1/2" Flare x 1/2" FIP	100
<b>4GA1238F</b>	Steel Gas Adapter 1/2" Flare x 3/8" FIP	100
<b>4GA5812F</b>	Steel Gas Adapter 5/8" Flare (15/16" Thread) x 1/2" FIP	100
<b>4GA5834F</b>	Steel Gas Adapter 5/8" Flare (15/16" Thread) x 3/4" FIP	100
<b>4GA134F</b>	Steel Gas Adapter 1" Flare x 3/4" FIP	50

## Male Gas Adapter



Item #	Description	Master
<b>4GA3838M</b>	Steel Gas Adapter 3/8" Flare x 3/8" MIP (Tapped 1/4" FIP Inside)	100
<b>4GA3812M</b>	Steel Gas Adapter 3/8" Flare x 1/2" MIP (Tapped 3/8" FIP Inside)	100
<b>4GA1212M</b>	Steel Gas Adapter 1/2" Flare x 1/2" MIP (Tapped 3/8" FIP Inside)	100
<b>4GA1238M</b>	Steel Gas Adapter 1/2" Flare x 3/8" MIP (Tapped 1/4" FIP Inside)	100
<b>4GA5812M</b>	Steel Gas Adapter 5/8" Flare (15/16" Thread) x 1/2" MIP (Tapped 3/8" FIP Inside)	100
<b>4GA5834M</b>	Steel Gas Adapter 5/8" Flare (15/16" Thread) x 3/4" MIP (Tapped 1/2" FIP Inside)	100
<b>4GA134M</b>	Steel Gas Adapter 1" Flare x 3/4" MIP (Tapped 1/2" FIP Inside)	50
<b>4GA11M</b>	Steel Gas Adapter 1" Flare x 1" MIP (Tapped 3/4" FIP Inside)	50

## Brass Gas Valve

### Straight Gas Ball Valve

FIP x FIP



Item #	Nominal Size	Bag	Master
5471	1/2"	10	100
5472	3/4"	10	100
5473	1"	10	80

### Straight Flare Gas Ball Valve

Flare x FIP



Item #	Nominal Size	Bag	Master
5482	3/8" Flare x 1/2" FIP	10	100
5483	1/2" Flare x 1/2" FIP	10	100
5485	5/8" Flare x 1/2" FIP	10	100
5486	1/2" Flare x 3/4" FIP	10	100
5488	5/8" Flare x 3/4" FIP	10	100
5489	1" Flare x 3/4" FIP	10	100

### Flat Head Gas Ball Valve

FIP x FIP



Item #	Nominal Size	Bag	Master
5481	1/2"	10	100
5484	3/4"	10	100

### Angle Gas Ball Valve

Flare x FIP



Item #	Nominal Size	Bag	Master
5491	3/8" Flare x 1/2" FIP	10	100
5492	1/2" Flare x 1/2" FIP	10	100
5494	1/2" Flare x 3/4" FIP	10	60
5493	5/8" Flare x 1/2" FIP	10	60
5495	5/8" Flare x 3/4" FIP	10	80