

# SUPPLY LINE & WATER HEATER FLEX

09/22/2025

Spread Sheet Tab #: 4S & 4C

Made to applicable ASME A112.18.6, NSF 372.

## STAINLESS STEEL FLEX CONNECTORS

### SS Corrugated Flex Connector

FIP x FIP



| Item # | Nominal Size | Length | Master |
|--------|--------------|--------|--------|
| 4S0215 | 3/4"         | 15"    | 35     |
| 4S0218 | 3/4"         | 18"    | 35     |
| 4S0224 | 3/4"         | 24"    | 35     |
| 4S0248 | 3/4"         | 48"    | 25     |
| 4S0318 | 1"           | 18"    | 25     |
| 4S0324 | 1"           | 24"    | 25     |
| 4S1318 | 1" x 3/4"    | 18"    | 30     |
| 4S1324 | 1" x 3/4"    | 24"    | 30     |
| 4S1418 | 1-1/4" x 1"  | 18"    | 10     |
| 4S1424 | 1-1/4" x 1"  | 24"    | 10     |
| 4S0418 | 1-1/4"       | 18"    | 12     |
| 4S0424 | 1-1/4"       | 24"    | 12     |
| 4S0518 | 1-1/2"       | 18"    | 12     |
| 4S0524 | 1-1/2"       | 24"    | 12     |
| 4S0618 | 2"           | 18"    | 9      |
| 4S0624 | 2"           | 24"    | 9      |

### SS Corrugated Flex Connector

Solder x FIP



| Item # | Nominal Size | Length | Master |
|--------|--------------|--------|--------|
| 4S218S | 3/4"         | 18"    | 35     |
| 4S224S | 3/4"         | 24"    | 35     |

### SS Braided Water Heater Connector

FIP x FIP



| Item # | Nominal Size | Length | Master |
|--------|--------------|--------|--------|
| 4SS215 | 3/4"         | 15"    | 25     |
| 4SS218 | 3/4"         | 18"    | 25     |
| 4SS224 | 3/4"         | 24"    | 25     |

### Push-fit SS Braided Flex Connector

Push x FIP



| Item # | Nominal Size | Length | Master |
|--------|--------------|--------|--------|
| 4SQ218 | 3/4"         | 18"    | 35     |
| 4SQ224 | 3/4"         | 24"    | 35     |

### Wrought Copper Water Heater Connector

FIP x FIP

All Wrought Copper Tube



| Item # | Nominal Size | Length | Master |
|--------|--------------|--------|--------|
| 4SC218 | 3/4"         | 18"    | 35     |
| 4SC224 | 3/4"         | 24"    | 35     |

### Push-fit SS Corrugated Flex Connector

Push x FIP



| Item # | Nominal Size | Length | Master |
|--------|--------------|--------|--------|
| 4SP218 | 3/4"         | 18"    | 35     |
| 4SP224 | 3/4"         | 24"    | 35     |

### Solder Copper End Water Heater Connector

Solder x FIP

All Wrought Copper Tube



| Item #  | Nominal Size | Length | Master |
|---------|--------------|--------|--------|
| 4S2018C | 3/4"         | 18"    | 35     |
| 4S2024C | 3/4"         | 24"    | 35     |

### Push-fit SS Corrugated Flex Connector with Push-fit Valve

Push x FIP



| Item # | Nominal Size | Length | Master |
|--------|--------------|--------|--------|
| 4SV218 | 3/4"         | 18"    | 20     |
| 4SV224 | 3/4"         | 24"    | 20     |

### PEX-A SS Corrugated Flex Connector

F1960 Expansion

PEX x FIP



| Item # | Nominal Size | Length | Master |
|--------|--------------|--------|--------|
| 4S2118 | 3/4"         | 18"    | 35     |
| 4S2124 | 3/4"         | 24"    | 35     |

### PEX-B SS Corrugated Flex Connector

F1807 Crimp

PEX x FIP



| Item # | Nominal Size | Length | Master |
|--------|--------------|--------|--------|
| 4S2318 | 3/4"         | 18"    | 35     |
| 4S2324 | 3/4"         | 24"    | 35     |

## SS Braided Supply Line for Toilet

FIP x Ballcock with Brass Nut



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CM1212</b> | 1/2" x 7/8"  | 12"    | 25    | 50     |
| <b>4CM1216</b> | 1/2" x 7/8"  | 16"    | 25    | 50     |
| <b>4CM1220</b> | 1/2" x 7/8"  | 20"    | 25    | 50     |
| <b>4CM1224</b> | 1/2" x 7/8"  | 24"    | 25    | 50     |

FIP x Plastic Ballcock



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CB1212</b> | 1/2" x 7/8"  | 12"    | 25    | 50     |
| <b>4CB1216</b> | 1/2" x 7/8"  | 16"    | 25    | 50     |
| <b>4CB1220</b> | 1/2" x 7/8"  | 20"    | 25    | 50     |
| <b>4CB1224</b> | 1/2" x 7/8"  | 24"    | 25    | 50     |

## SS Braided Supply Line for Toilet

Comp. x Ballcock with Brass Nut



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CM3809</b> | 3/8" x 7/8"  | 9"     | 25    | 50     |
| <b>4CM3812</b> | 3/8" x 7/8"  | 12"    | 25    | 50     |
| <b>4CM3816</b> | 3/8" x 7/8"  | 16"    | 25    | 50     |
| <b>4CM3820</b> | 3/8" x 7/8"  | 20"    | 25    | 50     |
| <b>4CM3824</b> | 3/8" x 7/8"  | 24"    | 25    | 50     |

Comp. x Plastic Ballcock



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CB3809</b> | 3/8" x 7/8"  | 9"     | 25    | 50     |
| <b>4CB3812</b> | 3/8" x 7/8"  | 12"    | 25    | 50     |
| <b>4CB3816</b> | 3/8" x 7/8"  | 16"    | 25    | 50     |
| <b>4CB3820</b> | 3/8" x 7/8"  | 20"    | 25    | 50     |
| <b>4CB3824</b> | 3/8" x 7/8"  | 24"    | 25    | 50     |

## Vinyl Supply Line for Toilet

Comp. x Ballcock with Brass Nut



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CV7812</b> | 3/8" x 7/8"  | 12"    | 25    | 50     |
| <b>4CV7816</b> | 3/8" x 7/8"  | 16"    | 25    | 50     |

## SS Braided Supply Line for Lavatory

FIP x FIP



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CF1212</b> | 1/2" x 1/2"  | 12"    | 25    | 50     |
| <b>4CF1216</b> | 1/2" x 1/2"  | 16"    | 25    | 50     |
| <b>4CF1220</b> | 1/2" x 1/2"  | 20"    | 25    | 50     |
| <b>4CF1224</b> | 1/2" x 1/2"  | 24"    | 25    | 50     |
| <b>4CF1230</b> | 1/2" x 1/2"  | 30"    | 25    | 50     |
| <b>4CF1236</b> | 1/2" x 1/2"  | 36"    | 25    | 50     |
| <b>4CF1240</b> | 1/2" x 1/2"  | 40"    | 25    | 50     |
| <b>4CF1248</b> | 1/2" x 1/2"  | 48"    | 10    | 50     |
| <b>4CF1260</b> | 1/2" x 1/2"  | 60"    | 5     | 25     |
| <b>4CF1272</b> | 1/2" x 1/2"  | 72"    | 5     | 25     |

## SS Braided Supply Line for Lavatory

Comp. x FIP



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CF3812</b> | 3/8" x 1/2"  | 12"    | 25    | 50     |
| <b>4CF3816</b> | 3/8" x 1/2"  | 16"    | 25    | 50     |
| <b>4CF3820</b> | 3/8" x 1/2"  | 20"    | 25    | 50     |
| <b>4CF3824</b> | 3/8" x 1/2"  | 24"    | 25    | 50     |
| <b>4CF3830</b> | 3/8" x 1/2"  | 30"    | 25    | 50     |
| <b>4CF3836</b> | 3/8" x 1/2"  | 36"    | 25    | 50     |
| <b>4CF3840</b> | 3/8" x 1/2"  | 40"    | 25    | 50     |
| <b>4CF3848</b> | 3/8" x 1/2"  | 48"    | 10    | 50     |
| <b>4CF3860</b> | 3/8" x 1/2"  | 60"    | 10    | 50     |

## Vinyl Lavatory Supply Line

Comp. x FIP



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CV3816</b> | 3/8" x 1/2"  | 16"    | 25    | 50     |
| <b>4CV3820</b> | 3/8" x 1/2"  | 20"    | 25    | 50     |

## Dishwasher Supply Line w/ Elbow

Comp. x Comp.



| Item #         | Nominal Size                              | Length | Inner | Master |
|----------------|-------------------------------------------|--------|-------|--------|
| <b>4CW3860</b> | 3/8" Comp. x 3/8" Comp. or 3/8" MIP Elbow | 60"    | 1     | 25     |
| <b>4CW3872</b> | 3/8" Comp. x 3/8" Comp. or 3/8" MIP Elbow | 72"    | 1     | 25     |

## Extension Supply Line

Male Comp. x Female Comp.



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CE3812</b> | 3/8" x 3/8"  | 12"    | 25    | 50     |
| <b>4CE3816</b> | 3/8" x 3/8"  | 16"    | 25    | 50     |
| <b>4CE3820</b> | 3/8" x 3/8"  | 20"    | 25    | 50     |
| <b>4CE3824</b> | 3/8" x 3/8"  | 24"    | 25    | 50     |

## Dishwasher Elbow Fitting Lead Free

Comp. x FHT



| Item #         | Nominal Size       | Inner | Master |
|----------------|--------------------|-------|--------|
| <b>4CW3834</b> | 3/8" OD x 3/4" FHT | 5     | 100    |

## Compression Union Lead Free

Comp. x Comp.



| Item #        | Nominal Size      | Inner | Master |
|---------------|-------------------|-------|--------|
| <b>8C1002</b> | 3/8" OD x 3/8" OD | 10    | 100    |

## SS Braided Supply Line for Lavatory

Comp. x Comp.



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CC3809</b> | 3/8" x 3/8"  | 9"     | 25    | 50     |
| <b>4CC3812</b> | 3/8" x 3/8"  | 12"    | 25    | 50     |
| <b>4CC3816</b> | 3/8" x 3/8"  | 16"    | 25    | 50     |
| <b>4CC3820</b> | 3/8" x 3/8"  | 20"    | 25    | 50     |
| <b>4CC3824</b> | 3/8" x 3/8"  | 24"    | 25    | 50     |
| <b>4CC3830</b> | 3/8" x 3/8"  | 30"    | 25    | 50     |
| <b>4CC3836</b> | 3/8" x 3/8"  | 36"    | 25    | 50     |
| <b>4CC3848</b> | 3/8" x 3/8"  | 48"    | 25    | 50     |
| <b>4CC3860</b> | 3/8" x 3/8"  | 60"    | 5     | 50     |
| <b>4CC3872</b> | 3/8" x 3/8"  | 72"    | 5     | 20     |

## Wash Machine Hose SS Braided

FHT x FHT



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CW3448</b> | 3/4" x 3/4"  | 48"    | 1     | 20     |
| <b>4CW3460</b> | 3/4" x 3/4"  | 60"    | 1     | 20     |
| <b>4CW3472</b> | 3/4" x 3/4"  | 72"    | 1     | 20     |
| <b>4CW3496</b> | 3/4" x 3/4"  | 96"    | 1     | 20     |

Red &amp; Blue Combo Pack



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CW248C</b> | 3/4" x 3/4"  | 48"    | 1     | 10     |

## Icemaker SS Braided Supply Line

Comp. x Comp.



| Item #         | Nominal Size | Length | Inner | Master |
|----------------|--------------|--------|-------|--------|
| <b>4CC1424</b> | 1/4" X 1/4"  | 24"    | 1     | 50     |
| <b>4CC1436</b> | 1/4" X 1/4"  | 36"    | 1     | 50     |
| <b>4CC1448</b> | 1/4" X 1/4"  | 48"    | 1     | 50     |
| <b>4CC1460</b> | 1/4" X 1/4"  | 60"    | 1     | 50     |
| <b>4CC1472</b> | 1/4" X 1/4"  | 72"    | 1     | 50     |
| <b>4CC1496</b> | 1/4" X 1/4"  | 96"    | 1     | 50     |
| <b>4CC1498</b> | 1/4" X 1/4"  | 240"   | 1     | 5      |